

# NDIA / TACOM-ARDEC 7<sup>th</sup> International Artillery and Indirect Fire Symposium and Exhibition



## Brigade Combat Team Program Update

LTC Jack Reiff

























#### **Brigade Combat Team**

"Vision to Mission"






"We Must Provide Early Entry Forces that Can Operate Jointly, Without Access to Fixed Forward Bases, but We Still Need the Power to Slug it Out and Win Decisively."

GEN Erik K. Shinseki

- In Oct 99, the Army Leadership Announced its Vision for the Future. The Vision Included an Immediate and Urgent Need for an Air Transportable Brigade Combat Team (BCT) Capable of
  - > Deployment Anywhere on the Globe in a Combat Ready Configuration
  - >Strategic Responsiveness & Full Spectrum Versatility Demanded by the Military
  - **C-130** Air Deployable
  - > Quick Response by a Lethal, Versatile, Tactical Agile Joint Force

"Develop, Produce, Field and Sustain the Full Range of Safe, Reliable, Supportable and Effective Systems Envisioned by the Brigade Combat Team Organizational and Operational Concept for Initial and Interim Brigades While Developing the Acquisition and Program Management Framework to Transform the Army to the Objective Force."





Deputy Project Manager Mr. John Gerlach

PM, IAV LTC Jim Parker

PM, IAV-CS LTC Bryan McVeigh

PM, MGS LTC Jack Reiff

Material Director LTC Robert Schumitz

Director Acq.Spt Div. Mrs. Constance Tucker

Director Log.Spt Div. Mr. Barry Crawford

Director Business Mgt Div. Mr. Mike Viggato

Director Technical Mgt Div. Mr. Terry Dean

#### **GM / GDLS Joint Venture Facilities**

"We are Family"







#### **Army Transformation**

"Stryker the Army Vanguard"





**Italian Centauro** 

Initial 2000-2003





Interim

Stryker



**FCS Objective Force** 



**Objective** 2010 and Beyond



Organize, Train, Equip, Lift, and Use Refine O&O **Develop TTPs** 

Provide Capability Called for in the O&O, MNS, and IAV ORD

Complete Transition to Objective Force



#### Stryker Life Cycle


# THIS ADE COMBAT ILIA

## FY00 – FY05 System Development and Demonstration 2 Variants

- ➤ Infantry Carrier Vehicle (ICV)
- ➤ Mobile Gun System (MGS)



- •7 Configurations
  - **▶** Production Ready
  - **≻IPT Managed**
  - **≻USER** Evaluation



- 3 Configurations
  - **≻IPT Managed**
  - >LUT
  - **PQT**
- **▲Performance RAM**


**▶** Development / Integration

#### FY01 - FY04 Initial Production & Development



- 8 Configurations
  - Infantry Carrier Vehicle (ICV)
  - Commander's Vehicle (CV)
  - Medical Evacuation Vehicle (MEV)
  - Mortar Carrier (MC)
  - Anti Tank Guided Missile (ATGM)
  - Reconnaissance Vehicle (RV)
  - Fire Support Vehicle (FSV)
  - Engineer Squad Vehicle (ESV)
- Full-Up Systems Testing
  - > PVT
  - Live Fire
  - > IOT&E
- MS III Full Rate Production
- 2 Configurations (MGS & NBCRV)
  - Development / Integration

## FY04 - FY07 Full Rate Production and Sustainment



- MS III (MGS & NBCRV)
- Block Improvements





## Key Performance Parameters (System)



<u>KPP</u>	<u>Threshold</u>	<u>Objective</u>	<u>Demonstration</u>
C-130 Transportability	Must be Transportable in a C-130 Aircraft Enter and Exit Aircraft Capable of Immediate Combat Operations (does not require a full basic load).	Must be Transportable in a C-130 Aircraft Enter and Exit Aircraft Capable of Immediate Combat Operations.	Conduct Loading Tests on C- 130 at APG, MD Using ICV.
Interoperability	Capable of Hosting and Integrating C4ISR Systems (EPLRS, FBCB2, ABCS). Integate Specific C4ISR Systems into IAV Platforms IAW Systems Architecture.	Capable of Hosting and Integrating C4ISR Systems	To be Evaluated During IOT&E
Infantry Squad	ICV / ESV when Configured Must Carry an Inf. Sqd. (9 Soldiers) and Two Crew members W/Equip.	ICV / ESV when Configured Must Carry 10 Soldiers and Two Crew members VV/Equip.	To be Evaluated During IOT&E. Already Demonstrated on Bid Sample
MGS Lethality	Must Defeat a Standard Infantry Bunker and Create Opening in a Double Reinforced Concrete Wall, Through which Infantry Can Pass	Must Defeat a Standard Infantry Bunker and Create Opening in a Double Reinforced Concrete Wall, Through which Infantry Can Pass	To be Demonstrated During PQT for MGS



## Stryker - Infantry Armored Vehicle

#### "Family Commonality and Efficiencies"



**Key Characteristics: (ICV Variant)** 

Configuration Combat (inches) Shipping (inches)

**Height:** 122.88 103.62 **Width:** 116.43 112.80

**Length:** 286.30 286.50

**Engine:** 350 hp JP-8/Diesel (Caterpillar)

Transmission: Allison

Brakes: 5 inch ABS (Common with FMTV 5 -Ton)

Other: 8 Wheel Drive; 4 Wheel Steering

Crew: 2 + 9-man Squad

<u>C4ISR</u> <u>Mobility</u>

SINCGARS 50m Dash – 9 sec.

FBCB2 Wheel Clearance – 21 in

BCBZ Writer Clearance – 21 i

NTDR (JTRS IBCT #3) Vertical Climb – 23 in

Gap Crossing – 78 in

Top Speed – 60 mph

Range – 330 miles (Cbt Ops)

Winch: Self Recovery

Manufacturer: Joint Venture

Limited Partnership between General Motors (GM) and General Dynamics Land Systems (GDLS)

#### Armament

RWS (50 Cal or MK 19) M240 7.62 Coax

#### **Lethality (MGS)**

Main gun – 105mm Will Defeat Hardened Bunkers & Armored Vehicles (up to T-62)

#### **Survivability**

High Hard Steel
Structure
Protection: 14.5mm
RPG w/ Add on Armor
Spall Liner
Smoke

## Medical Evaluation (MEV)

4 Litters or6 Ambulatory

## GPS Deployability C-130 – 1 ea C-17 – 3 ea

C-5 - 4 ea


**ABCS Suite** 

Weight:38,000 lbs





### Stryker C4ISR

#### "State of the Art C4I Architecture"











## Stryker Transportability

"Strategic Responsiveness ... 100% Tactical and Operational Mobility"



- Stryker Deployability Requirement
  - > C-130 1ea
  - C-17 3ea
  - > C-5 4ea
- Stryker Must be Transportable in a C-130 Aircraft and Capable of Immediate Combat Operations (KPP)
  - Vehicle Weight ≤ 38,000 lbs
  - ➤ Axle Weight < 13,000 lbs.</p>
- PM-BCT Ramp Demo @ APG
- MTMC and Air Force Preparing Waiver for ICV Transport on C-130
  - Passenger Safety Aisles are to be 14" of Clearance on Each Side of Vehicle
- Final Certification to be Conducted in PVT '02







## Stryker Mobility

"It's not how you Drive, but how you Arrive that Counts"





#### Automotive

- Sprint Capability 50 Meters in 9 Seconds
- Sustained Maximum Speed > 60mph
- Cruise at 40mph for 330+ Miles
- > 78 in Gap Crossing
- 23 in Vertical Climb
- > 53 Gal Fuel Capacity
- 4WD Selectable 8WD
- 2 Speed Transfer Case
- Hydro Pneumatic Suspension
- Height Management System
  - **▲ Air Transport**
  - ▲ Load Leveling







### Stryker Armaments

#### "Dismounted Infantry Assault Enabled by Fire Support & Platforms"









#### Weapon

- > Remote Weapon Station
  - ▲ M2HB .50 cal MG
  - **→ Mk19 mod 3 40mm**
  - **▲ M240 7.62mm MG**
  - ▲ M6 Launchers (x4)
- Defeat Light Armored Targets at 1500m
- > -20° Depression to + 60° Elevation
- Targets Acquired and Engaged from Under Armor
- Day Camera Target Acq Sight
- Staring Array Thermal Sight
- Height Reduction for Air Transport




## Stryker Lethality





- **▲ External M68A1 105mm Gun with Muzzle Brake**
- → Fires all Current NATO 105mm Ammo
- **▲ 8 Shots in 48 Seconds, Static or Moving**
- ▲ All Ammo Protected by Spall Liners
- ▶ Protected 8 Round Autoloader
- Versatile Lethality with Growth
- Stabilized Direct Fire Control
- ▲ Low Profile, Side-by-Side Crew



#### MGS Vehicle

- ▲ 18 Auto Loaded Rounds
- ▲ 3 Crew
- ▲ GVW / Performance ~ Same as ICV
- **▲ LPT on LAV III Demonstrated Performance**
- Isolated 10 Round Replenisher Low in Back with Manual Bypass






## Stryker Survivability


"Takes a Licking - - Keeps on Ticking"





#### 14.5mm Integral Armor

- Requirement for 360 Degree Squad and Crew Protection from14.5mm Armor Piercing Round
- Consists of Composite / Ceramic Module Bolted to Hull Structure
- Part of Base Vehicle Integration



#### RPG Add-on-Armor (AOA)

- Requirement for 360 Degree Protection Against Hand Held HEAT up to RPG-7
- Installs Over 14.5mm Armor
- Block Improvement



## **Testing**

## "Producing Effective, Suitable & Survivable Combat Systems"



- Developmental Testing
  - > 6 MGS
  - > 4 NBCRV
- Production Verification Testing
  - > 36 Systems
    - 人 7 ICV
    - 人 5 MGS
    - ▲ 3 each (MC, CV, RV, ESV, MEV, FSV, ATGM and NBCRV)
  - > 300,000 RAM Miles
  - Environmental Extremes
  - Automotive & Weapons Performance
  - Mission Equipment Integration
- Live Fire
  - > 106 (Title 10 USC) Events
    - △ 66 Current LRIP (ICV, MC, CV, RV, ESV, MEV, FSV and ATGM)
    - **△ 38 Future LRIP (MGS and NBCRV)**



- Full Compliance with Statutory & Regulatory Guidance
  - FAR First Article Testing
  - > Title 10 USC Live Fire Testing
  - > Title 10 USC Initial Operational Testing



### **Testing**

"Producing Effective, Suitable & Survivable

Combat Systems"

(Con't)

- Initial Operational Testing
  - Battalion Level
    - **△2 Company Teams Live**
    - **▲1 Company Team Simulation**
    - **△ Battalion & Brigade Slice Elements** 
      - Engineer
      - Anti Tank
      - Medical
      - Reconnaissance
    - **△ 54 IAVs Participating**
  - > Light Infantry Baseline
    - ▲10<sup>th</sup> Mountain
    - **△With Augmentation**










#### Integrated Program Schedule

(May 2002)







#### **QUESTIONS?**

## Roll!

## Stryker...Ready to Roll!

**Strategic Responsiveness...100% Tactical and Operational Mobility** 

Optimized for Close, Complex, or Urban Terrain..Austere Infrastructure



**Combat Capable Upon Arrival** 





Superior Situational Awareness

Platform Commonality and Efficiencies, Reduced Logistics Footprint

Http://www.pmbct.tacom.army.mil